

TEST REPORT

Test Report No. BLR/F(C/M)/24/014501
Dated 2024-05-10



Issued to : Unived Healthcare Products Pvt Ltd
Plot No 145, S.No.5013,
Vibrant Business Park, Vapi
Valsad, Gujarat,
India - 396195.

Attention :

Customer Ref. No. : Letter, Dated : 2024-03-09

Sample Particulars

Sample Name : Basics K2-7 - 60 Capsules & K2-7 Veg - 120 Capsules (Composite Samples)

Sample No. : BLR/F(C/M)/24/014501

Batch No. / Lot No. / Mfg. Date / Best Before Date : Batch No : FBA.7.6 & FWE.49.3 | Mfg Date : 05.MAR.2024 & 05.MAR.2024 | Best Before : 05.MAR.2025 & 05.MAR.2025

Sample Package / Quantity : Trade Pack : 60 Capsules X 02 Number's + 120 Capsules X 02 Number's

Sampled by : Not Applicable

Sampling Location : Not Applicable

Sampling Protocol : Not Applicable

Sample Condition : Received in good condition

Date of Sample Receipt : 2024-03-30

Date of Analysis : 2024-04-26

Date of Completion : 2024-05-01

Report Reviewed By

Dr. Rahath Kubra
Report Reviewer

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link- <https://www.tuvsud.com/en-in/terms-and-conditions>

Note: For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuvsud.com and for any complaint please contact .Arun George at arun.george@tuvsud.com

Note : (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory, (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable for the evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) For details of the accredited scope, please contact laboratory or accreditation body website.(5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

Laboratory:
TÜV SÜD South Asia Pvt. Ltd.
No. A 151, 2nd C Main, 2nd
Stage,
Peenya Industrial Estate,
Bangalore,
Karnataka - 560058

Phone :+91 80 67458096
Fax :+91 80 67458058
E-Mail
:Prajesh.Balakrishnan@tuvsud.com
Url :www.tuv-sud.in
ControlNo15360250.080424.105

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off
Saki Vihar Road, Saki naka,
Andheri (East), Mumbai-400072.
India



TEST REPORT



Test Report No. BLR/F(C/M)/24/014501
Dated 2024-05-10

TEST RESULTS

| Sr. No. | Parameter | Unit | LOQ | Result | Specification | Test Method |
|---------------------|------------------------------|------------------|-----|-----------------------|---------------|----------------------|
| Metals & Minerals : | | | | | | |
| 1. | Arsenic as As | mg/kg | 0.1 | BLQ | Max 3.0 | LAB_P_SOP_221 |
| 2. | Cadmium as Cd | mg/kg | 0.1 | BLQ | Max 0.3 | LAB_P_SOP_221 |
| 3. | Lead as Pb | mg/kg | 0.4 | BLQ | Max 10.0 | LAB_P_SOP_221 |
| 4. | Mercury as Hg | mg/kg | 0.1 | BLQ | Max 1.0 | LAB_P_SOP_221 |
| Microbiology : | | | | | | |
| 5. | Coliform Count | cfu/g | - | <10 | Not Specified | ISO 4832 : 2006 |
| 6. | E.coli | cfu/g | - | <10 | Not Specified | ISO 16649 - 2 : 2001 |
| 7. | Total Plate Count | cfu/g | - | 3.4 x 10 ² | Not Specified | ISO 4833 - 1 : 2013 |
| 8. | Yeast & Mould Count | cfu/g | - | <10 | Not Specified | ISO 21527 - 2 : 2008 |
| Analytical : | | | | | | |
| 9. | Vitamin K2-7 (Menaquinone-7) | mcg/Serving Size | 5.0 | 55.8 | Not Specified | LC-MS/MS |

NOTE: Unless otherwise agreed upon, Pass or Fail or Statement of compliance verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LOQ : Limit of Quantification; BLQ: Below Limit of Quantification

Note 1: Serving size 1capsule=140mg

Note 2:<10 = No microbial growth observed in 1:10 dilution.

Note 3: The heavy metals specification derived from Section II, voluntary Certification Scheme for Ayush Products.

Authorized By

Ravi Negalur
(Lab Manager)

Authorized By

Jagadeep Sagar C
(Senior Microbiologist)

Authorized By

Shanmugam G
(Lab Supervisor)

TEST REPORT




Test Report No. BLR/F(C/M)/24/014501
Dated 2024-05-10



TEST REPORT



Test Report No. BLR/F(C/M)/24/014501
Dated 2024-05-10



- END OF TEST REPORT -