

TEST REPORT

Test Report No. BLR/F(C/M)/24/051465
Dated 2024-12-16



Issued to : Unived Healthcare Products Pvt Ltd
Plot No 145, S.No.5013,
Vibrant Business Park, Vapi
Valsad, Gujarat,
India - 396195.

Attention :

Customer Ref. No. : Letter, Dated : 2024-11-07

Sample Particulars

Sample Name : Unived Caffeinated Salt Caps - 30 Capsules

Sample No. : BLR/F(C/M)/24/051465

Batch No. / Lot No. / Mfg. Date / Best Before Date : Batch No : FSP.9.10 | Mfg Date : 30.Oct.2024 | Best Before : 30.Oct.2026

Sample Package / Quantity : Trade Pack : 30 Capsules X 03 Number's

Sampled by : Not Applicable

Sampling Location : Not Applicable

Sampling Protocol : Not Applicable

Sample Condition : Good

Date of Sample Receipt : 2024-11-25

Date of Analysis : 2024-12-09

Date of Completion : 2024-12-14

Report Reviewed By

Dr. Rahath Kubra

Report Reviewer

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link- <https://www.tuvsud.com/en-in/terms-and-conditions>

Note: For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuvsud.com and for any complaint please contact .Arun George at arun.george@tuvsud.com

Note : (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory, (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable for the evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) For details of the accredited scope, please contact laboratory or accreditation body website.(5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

Laboratory:
TÜV SÜD South Asia Pvt. Ltd.
No. A 151, 2nd C Main, 2nd
Stage,
Peenya Industrial Estate,
Bangalore,
Karnataka - 560058

Phone :+91 80 67458096
Fax :+91 80 67458058
E-Mail
:Prajesh.Balakrishnan@tuvsud.com
Url :www.tuv-sud.in
ControlNo15360250.261124.009

Regd. Office:
TÜV SÜD South Asia Pvt. Ltd. Off
Saki Vihar Road, Saki naka,
Andheri (East), Mumbai-400072.
India



TEST REPORT



Test Report No. BLR/F(C/M)/24/051465
Dated 2024-12-16

TEST RESULTS

Sr. No.	Parameter	Unit	LOQ	Result	Specification	Test Method
Microbiology :						
1.	Coliform Count	cfu/g	-	<10	Not Specified	ISO 4832 : 2006
2.	E. Coli	cfu/g	-	<10	Not Specified	ISO 16649 - 2 : 2001
3.	Total Plate Count	cfu/g	-	<10	Not Specified	ISO 4833 - 1 : 2013
4.	Yeast & Mould Count	cfu/g	-	<10	Not Specified	ISO 21527 - 2 : 2008
Metals & Minerals :						
5.	Arsenic as As	mg/kg	0.1	BLQ	Max 3.0	LAB_P_SOP_221
6.	Cadmium as Cd	mg/kg	0.1	BLQ	Max 0.3	LAB_P_SOP_221
7.	Lead as Pb	mg/kg	0.4	BLQ	Max 10.0	LAB_P_SOP_221
8.	Mercury as Hg	mg/kg	0.1	BLQ	Max 1.0	LAB_P_SOP_221

NOTE: Unless otherwise agreed upon, Pass or Fail or Statement of compliance verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LOQ: Limit of quantification; BLQ: Below Limit of Quantification.

Note: 1. <10 = No microbial growth observed in 1:10 dilution.

Note: 2. The heavy metals specification derived from Section II, voluntary Certification Scheme for Ayush Products

Note 3. Serving size 1 capsule (930mg)

Authorized By

Subhajit Roy Chowdhury
(Senior Analyst)

Authorized By

Saigovindan K R B
(Team Leader Microbiology)

TEST REPORT




Test Report No. BLR/F(C/M)/24/051465
Dated 2024-12-16



TEST REPORT



Test Report No. BLR/F(C/M)/24/051465
Dated 2024-12-16



- END OF TEST REPORT -