

# TEST REPORT

Test Report No. BLR/F(C/M)/25/045415  
Dated 2025-10-13



**Issued to** : Unived Healthcare Products Pvt Ltd  
Plot No 145, S.No.5013,  
Vibrant Business Park, Vapi  
Valsad, Gujarat,  
India - 396195.

**Attention** :

**Customer Ref. No.** : Letter, Dated : 2025-08-08

**Sample Particulars**

**Sample Name** : Collagen Builder Mango-45 Serving

**Sample No.** : BLR/F(C/M)/25/045415

**Batch No. / Lot No. / Mfg. Date / Best Before Date** : Batch No : FWE.10.11 | MFG : 30/05/2025 | EXP : 30/05/2026

**Sample Package / Quantity** : Trade Pack : 169g X 1 Jar

**Sampled by** : Not Applicable

**Sampling Location** : Not Applicable

**Sampling Protocol** : Not Applicable

**Sample Condition** : Good

**Date of Sample Receipt** : 2025-09-22

**Date of Analysis** : 2025-09-26

**Date of Completion** : 2025-10-03

Report Reviewed By

Dr. Rahath Kubra

Report Reviewer

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link- <https://www.tuvsud.com/en-in/terms-and-conditions>

**Note: For any technical query, please contact . V G Ramesh at Ramesh.Vg@tuvsud.com and for any complaint please contact .Arun George at arun.george@tuvsud.com**

Note : (1) The results relate only to the items tested, (2) the test report shall not be reproduced except in full without the written approval of the laboratory, (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable for the evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) For details of the accredited scope, please contact laboratory or accreditation body website.(5) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

Laboratory:  
TÜV SÜD South Asia Pvt. Ltd.  
No. A 151, 2nd C Main, 2nd  
Stage,  
Peenya Industrial Estate,  
Bangalore,  
Karnataka - 560058

Phone :+91 80 67458096  
Fax :+91 80 67458058  
E-Mail  
:Prajesh.Balakrishnan@tuvsud.com  
Url :www.tuv-sud.in  
ControlNo15360250.230925.154

Regd. Office:  
TÜV SÜD South Asia Pvt. Ltd. Off  
Saki Vihar Road, Saki naka,  
Andheri (East), Mumbai-400072.  
India



# TEST REPORT



Test Report No. BLR/F(C/M)/25/045415  
Dated 2025-10-13

## TEST RESULTS

| Sr. No.             | Parameter           | Unit  | LOQ | Result | Specification | Test Method          |
|---------------------|---------------------|-------|-----|--------|---------------|----------------------|
| Microbiology :      |                     |       |     |        |               |                      |
| 1.                  | Coliform            | cfu/g | -   | <10    | Not Specified | ISO 4832 : 2006      |
| 2.                  | E. coli             | cfu/g | -   | <10    | Not Specified | ISO 16649 - 2 : 2001 |
| 3.                  | Total Plate Count   | cfu/g | -   | <10    | Not Specified | ISO 4833 - 1 : 2013  |
| 4.                  | Yeast & Mould Count | cfu/g | -   | <10    | Not Specified | ISO 21527 - 2 : 2008 |
| Metals & Minerals : |                     |       |     |        |               |                      |
| 5.                  | Arsenic as As       | mg/kg | 0.1 | BLQ    | Max 3.0       | LAB_P_SOP_221        |
| 6.                  | Cadmium as Cd       | mg/kg | 0.1 | BLQ    | Max 0.3       | LAB_P_SOP_221        |
| 7.                  | Lead as Pb          | mg/kg | 0.4 | BLQ    | Max 10.0      | LAB_P_SOP_221        |
| 8.                  | Mercury as Hg       | mg/kg | 0.1 | BLQ    | Max 1.0       | LAB_P_SOP_221        |

NOTE: Unless otherwise agreed upon, Pass or Fail or Statement of compliance verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LOQ: Limit of quantification; BLQ: Below Limit of Quantification.

Note: 1. <10 = No microbial growth observed in 1:10 dilution.

Note: 2. The heavy metals specification derived from Section II, voluntary Certification Scheme for Ayush Products

Note 3. Serving size 1 scoop (3.75g)

Authorized By

Jagadeep Sagar C  
(Team Leader)

Authorized By

Urmila Sawant  
(Senior Lab Manager)

# TEST REPORT



Test Report No. BLR/F(C/M)/25/045415  
Dated 2025-10-13



# TEST REPORT



Test Report No. BLR/F(C/M)/25/045415  
Dated 2025-10-13



- END OF TEST REPORT -